

Aligners of 3, 6 and 9 m



ISO 9001

BUREAU VERITAS
Certification

Nº 7002938



Encofrados J. Alsina, S.A.


Pol. Ind. Pla d'en Coll - Camí de la Font Freda, 1
08110 - Montcada i Reixac (Barcelona - Spain)
Tel. (+34) 935 753 000 - Fax (+34) 935 647 059
E-mail: alsina@alsina.com

www.alsina.com

ALIGNERS OF 3, 6 AND 9 M



The range of Alsina Aligners is compatible with the wall formwork systems (Alisply, Alisply Circular, Vistaform Straight and Curved) as well as with the column formwork systems (Alisplar, Alisply Columns, Alisply Multipurpose and Metal Piles).



Aligner of 3 m

Aligner of 6 m

Aligner of 9 m

The Alisply Wall System has a range of aligners used to stabilize and plumb the wall modules.

Designed without thread in the upper part to avoid concrete accumulation, it has an easy to remove base plate and various possibilities for securing to the ground.

Its design incorporates an anchorage system to the non-detachable panel, which allows the movement of the panels without needing to dismantle the aligners.

attachment and fastening



HOOK WITH SHEAR PIN

The aligner shall be connected to the panel using a pin with its safety "R".



ALIGNER BASE PLATE

The aligner are fixed to the ground (or to a concrete block) with a removable base plate.

Range of aligners for vertical formwork

aligners of 3 m

Element used to stabilize and plumb modules up to 4 m high.

3 m aligner	Code: 54193	Weight:10,72 Kg
Minimum extension	2,10 m	
Maximum extension	4,70	
Admissible load	10 kN	



aligners of 6 m

Element used to stabilize and plumb modules between 4 m and 7 m high.

6 m aligner	Code: 54194	Weight :42,79 Kg
Minimum extension	4,50 m	
Maximum extension	6,10 m	
Admissible load	10 kN	



aligners of 9 m

Element used to stabilize and plumb modules between 7 m and 12 m high.

9 m aligner	Code: 54196	Weight:114,84 Kg
Minimum extension	6,50 m	
Maximum extension	9,25 m	
Admissible load	10 kN	



lower strut of 2,25 m

Element used to stabilize and plumb modules up to 4 m high using together with the Aligner of 3 m.

225 m strut	Code: 54178	Weight 9,11 Kg
Minimum extension	1,60 m	
Maximum extension	2,35 m	
Admissible load	10 kN	

